

HINDUSTAN ORGANIC CHEMICALS LTD
(A Government of India Enterprise)
AMBALAMUGAL, COCHIN – 682 302
Phone: (0484) 2720911, FAX No. (0484) 2720893

LIMITED E- TENDER NOTICE

HOCL Invites e Bids under the two bid system for the following item.

| Sl.No. | Description of item and Tender No. | Qty (Approx.) |
|--------|---|---------------------|
| 1 | Supply of Ball Valves as per attached RFQ No.6000020261/2391/80054- M HOCL tender ref : MAT/PUR/80054-M/18 | As per attached RFQ |

Tender documents may be downloaded from www.hoclindia.com or www.eprocure.gov.in

Approved vendors may please get registered with NIC e-procurement portal (URL: <https://eprocure.gov.in/eprocure/app>) to participate in the tender. Tenders submitted other than through online procedure specified will not be accepted. Please visit the above sites regularly for any addendum/ corrigendum/extension before submitting the offers.

Soumya N K
Dy. Manager Materials



HINDUSTAN ORGANIC CHEMICALS LIMITED AMBALAMUGAL

QAP - Valves

QUALITY ASSURANCE PLAN (QAP)

| P.O. No. : Description : BALL VALVES Inspection by : | | QAP No. HOC/QAP/Valves Revision : Date : | | | P = Perform by W= Witness by R= Review by | | 1. HOC / TPI 2. Supplier | | | | |
|---|-----------------------------------|--|------------------------------------|---------------|---|--|-------------------------------|-----------------|---------|---|------|
| Sl.No. | Components & Operation | Characteristics | Classification | Type of Check | Quantum of Check | Reference Documents / Acceptance Norms | Format of Records | Agency P W R | Remarks | | |
| 1.0 | RAW MATERIALS | | | | | | | | | | |
| 1.1 | Forging | 1 | Dimensional | Critical | Marking / Measurement | 100% | Supplier Drawing | Internal Q.C. | 2 | - | - |
| | | 2 | Surface Defects | Major | Visual examination | 100% | MSS SP 55 | Internal Q.C. | 2 | - | - |
| | | 3 | Chemical & Physical Properties | Major | Analysis, Tensile | 100% | Relevant ASTM Specification | Foundry Q.C. | | - | 2, 1 |
| 1.2 | Bars | 1 | Dimensions | Major | Measurement | 100% | Supplier Drawing | I.R. | 2 | - | - |
| | | 2 | Chemical composition | Major | Chem. Analysis | 100% | Relevant Specification | LAB T.C. | 2 | - | 2, 1 |
| 1.3 | Fasteners | 1 | Dimensions | Major | Measurement | Random | Supplier Drawing | MFGS T.C. | 2 | - | - |
| 1.4 | Gaskets | 2 | Chemical & Physical Heat Treatment | Major | Analysis & Test | 1 / Lot | Relevant ASTM Specification | MFGS T.C. | 2 | - | 2, 1 |
| | | 1 | Dimensions | Major | Measurement | Random | Supplier Drawing | MFGS T.C. | 2 | - | - |
| 2.0 | IN PROCESS INSPECTION | | | | | | | | | | |
| 2.1. | Casting / Forging (Body & Bonnet) | 1 | Dimensions | Major | Measurement | Random | Supplier drawing / Data sheet | I.R. | 2 | - | - |
| | | 2 | Surface quality of machining | Major | Visual examination | Random | | I.R. | 2 | - | - |



HINDUSTAN ORGANIC CHEMICALS LIMITED AMBALAMUGAL

QUALITY ASSURANCE PLAN (QAP)

| P.O. No. | | QAP No. | | | | HOC/QAP/Valves | | P = Perform by W= Witness by R= Review by | | 1. HOC / TPI 2. Supplier | |
|---------------|------------------------|-----------------------|----------------|----------------------|--------------------|---|-------------------|---|---|-----------------------------|---------------------|
| Description | | : BALL VALVES | | | | Revision : | | | | | |
| Inspection by | | : | | | | Date : | | | | | |
| Sl.No. | Components & Operation | Characteristics | Classification | Type of Check | Quantum of Check | Reference Documents / Acceptance Norms | Format of Records | Agency | | | Remarks |
| | | | | | | | | P | W | R | |
| 2.2 | Trim | 1 Dimensional | Major | Measurement | Random | Supplier drawing / Data sheet | I.R. | 2 | - | - | Wherever applicable |
| | | 2 Surface quality | Major | DPT / Hardness | 100% / 10% | ANSI B 16.34 as per P.O. | I.R. | 2 | - | - | |
| 2.3 | Assembly | 1 Components | Critical | Visual examination | Random | Relevant specification / Drawing | I.R. | 2 | - | - | |
| | | 2 Smooth Operation | Critical | Performance | 100% | - | I.R. | 2 | - | - | |
| | | 3 Dimensions | Critical | Measurement | 100% | Relevant specification / Drawing | I.R. | 2 | - | - | |
| 3.0 | FINAL INSPECTION | | | | | | | | | | |
| 3.1 | Pressure testing | 1 Shell test | Critical | Hydrostatic | 100% | API 598 / BS 6755 P - I RELEVANT drawing | I.R. | 2 | 2 | - | |
| | | 2 Back seat | Critical | Hydrostatic | | | | 2 | 2 | - | |
| | | 3 Seat test | Critical | Hydrostatic | | | | 2 | 2 | - | |
| | | 4 Pneumatic seat test | Critical | Pneumatic | | | | 2 | 2 | - | |
| 4.0 | FINAL INSPECTION (TPI) | | | | | | | | | | |
| 4.1 | Assembly | 1 Smooth Operation | Critical | Performance | Random as per P.O. | - | I.R. | 2 | 1 | - | |
| | | 2 Dimension / visual | Critical | Measurement / visual | Random as per P.O. | Supplier Drawing | I.R. | 2 | 1 | - | |
| 4.2 | Pressure testing | 1 Shell test | Critical | Hydrostatic | Random 10% | API-6D- relevant drawing | I.R. | 2 | 1 | - | |
| | | 3 Seat test | Critical | Hydrostatic | | | | 2 | 1 | - | |
| | | 4 Pneumatic test | Critical | Pneumatic | | | | 2 | 1 | - | |



HINDUSTAN ORGANIC CHEMICALS LIMITED
AMBALAMUGAL

QAP - Valves




QUALITY ASSURANCE PLAN (QAP)

| | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|-------------------------|--|------------------------|--|---|---|-------------------|-----------------------------|--------------------|--|--|--|-------------------------------|--|-------------------------------------|--|-----------------------------|--|---|--|
| P.O. No. | | : BALL VALVES | | QAP No. HOC/QAP/Valves | | | P = Perform by W= Witness by R= Review by | | 1. HOC / TPI 2. Supplier | | | | | | | | | | | | |
| Description | | : BALL VALVES | | Revision : | | Reference Documents / Acceptance Norms | | Format of Records | | Agency | | Remarks | | | | | | | | | |
| Inspection by | | : | | Date : | | Quantum of Check | | Type of Check | | Classification | | Characteristics | | | | | | | | | |
| Components & Operation | | : BALL VALVES | | Date : | | Quantum of Check | | Type of Check | | Classification | | Characteristics | | | | | | | | | |
| Sl.No. | | Components & Operation | | Characteristics | | Classification | | Type of Check | | Quantum of Check | | Reference Documents / Acceptance Norms | | Format of Records | | Agency | | 1. HOC / TPI 2. Supplier | | | |
| 4.3 | | Documents | | 1 | | Review of works TC and material TC as per P.O including fire safe design. | | Critical | | Verification | | 100% | | P.O., PR, Data Sheet | | Supplier test certificate | | 2 | | 1 | |
| 4.4 | | Stamping | | 1 | | Hard stamp, Tag No., Sl.No., Client / TPI stamp | | Critical | | Visual examination | | 100% | | | | Manufacture test certificate | | 2 | | 1 | |
| 4.5 | | Final Clearance (Insp.) | | 1 | | Verification of documents (including fire safe design) and issue of inspection clearance note | | Critical | | Verification | | 100% | | P.O., PR, Data Sheet | | Supplier test certificate / IRN TPI | | 2 | | 1 | |
| 5.0 | | DESPATCH | | | | | | | | | | | | | | | | | | | |
| 5.1. | | Marking & Painting | | 1 | | Visual | | Critical | | Visual | | 100% | | As P.O. / Specification sheet | | I.R. | | 2 | | - | |

Signature & Stamp of the tenderer






HINDUSTAN ORGANIC CHEMICALS LIMITED, AMBALAMUGAL
Technical Specification - SS BALL VALVE - H₂O₂ Service

| | | |
|---|--|--|
| Construction Features | Size | 50MM, 80MM, 100MM, 150MM |
| | Rating | 150 # |
| | Design of Mfg. STD | BS 5351 |
| | Port | Full Bore |
| | No. of Piece | Two Piece Const. |
| | Stem | Blow Out Proof Stem |
| | Ball | Below 6" solid & above 6" hollow |
| | ECS | R.F. FLANGE, ANSI B16.5, Ra = 250 to 500 Micro inch serration |
| | Face to Face | ANSI B16.10 |
| | Operator | Lever operated |
| Materials | Body (Both pieces) | ASTM A 182 Gr.F 316/ASTM A 351 CF 8M |
| | Ball | SS 316 |
| | Body Seat | PTFE |
| | Stem | SS 316 |
| | Stem Washer/Seal | SS 316/PTFE (Primary stem seal-PTFE; Secondary stem Seal - SS 316) |
| | Gland | SS 316 |
| | Gland Packing | PTFE / GFT |
| | Body Gasket | PTFE / SS 316 |
| | Fastners | ASTM A 193 Gr. B8 / A 194 Gr.B |
| | Locking Plate | SS 316 |
| | Lever/Other Int. | SS 316 |
| | Test Insp Std. | BS 6755 Part 1, Allowable Leakage - Rate A |
| Test Pressur | Body | 30 Bar (Hydrostatic) |
| | Seat | As per Part 1 of 6755 7 Bar (Pneumatic) |
| | Spl. Feature - 1 | |
| | Spl. Feature - 2 | |
| | Spl. Feature - 3 | |
| | Spl. Feature - 4 | |
| | Addl. Feature - 1 | Fire Safe design Required |
| | Addl. Feature - 2 | Ball to be provided with relief hole in upstream face of ball |
| | Addl. Feature - 3 | Body of valve to have a notch pointing towards ball bolt hole |
| | Addl. Feature - 4 | Valve to be provided with locking arrangement |
| | Marking on Each Piece | As per design Manufacturing standard |
| | Mat. Certificate | |
| Mat. Certificate | Body Parts | Required |
| | Trim Parts/ Soft Parts/Prod Test Record | Required |
| Inspection | Mat, Prod, Heat Tre. Cert // Completeness | Review of 100% |
| | Surf/Dimn/Ident/Mark/Leakage/ Function | 100% |
| | Non Destructive Test (If applicable) | Review of 10% |
| Note: | For Gen. Tech. Requ. See reverse side | |
| | For size and quantity | |
| Prepared by:  | | |
| Checked by:  | | |
| Approved by:  | | |
| Note: | VENDOR SHALL OFFER VALVES STRICTLY AS PER SPECIFICATIONS. DEVIATIONS, IF ANY SHALL BE EXPLICITLY HIGHLIGHTED BY VENDOR CONFIRMING THAT THE DEVIATIONS OFFERED ARE EQUAL OR BETTER THAN WHAT HAVE BEEN SPECIFIED. | |



HINDUSTAN ORGANIC CHEMICALS LIMITED, AMBALAMUGAL

Technical Specification - SS BALL VALVE - ~~H₂O~~ Service

| | | |
|---|--|--|
| Construction Features | Size | 100MM |
| | Rating | 150# |
| | Design of Mfg. STD | BS 5351 |
| | Port | Full Bore |
| | No. of Piece | Two Piece Const. |
| | Stem | Blow Out Proof Stem |
| | Ball | Below 6" solid & above 6" hollow |
| | ECS | R.F. FLANGE, ANSI B16.5, Ra = 250 to 500 Micro inch serration |
| | Face to Face | ANSI B16.10 |
| | Operator | Lever operated |
| Materials | Body (Both pieces) | ASTM A 182 Gr.F 316/ASTM A 351 CF 8M |
| | Ball | SS 316 |
| | Body Seat | PTFE |
| | Stem | SS 316 |
| | Stem Washer/Seal | SS 316/PTFE (Primary stem seal-PTFE; Secondary stem Seal - SS 316) |
| | Gland | SS 316 |
| | Gland Packing | PTFE / GFT |
| | Body Gasket | PTFE / SS 316 |
| | Fastners | ASTM A 193 Gr. B8 / A 194 Gr.B |
| | Locking Plate | SS 316 |
| | Lever/Other Int. | SS 316 |
| | Test Insp Std. | BS 6755 Part 1, Allowable Leakage - Rate A |
| Test Pressur | Body | 30 Bar (Hydrostatic) |
| | Seat | As per Part 1 of 6755 7 Bar (Pneumatic) |
| | Spl. Feature - 1 | |
| | Spl. Feature - 2 | |
| | Spl. Feature - 3 | |
| | Spl. Feature - 4 | |
| | Addl. Feature - 1 | Fire Safe design Required |
| | Addl. Feature - 2 | Ball to be provided with relief hole in upstream face of ball |
| | Addl. Feature - 3 | Body of valve to have a notch pointing towards ball bolt hole |
| | Addl. Feature - 4 | Valve to be provided with locking arrangement |
| | Marking on Each Piece | As per design Manufacturing standard |
| | Mat. Certificate | |
| Mat. Certificate | Body Parts | Required |
| | Trim Parts/ Soft Parts/Prod Test Record | Required |
| Inspection | Mat, Prod, Heat Tre. Cert // Completeness | Review of 100% |
| | Surf/Dimn/Ident/Mark/Leakage/ Function | 100% |
| | Non Destructive Test (If applicable) | Review of 10% |
| Note: | For Gen. Tech. Requ. See reverse side | |
| | For size and quantity | |
| Prepared by:  | | |
| Checked by:  | | |
| Approved by:  | | |
| Note: | VENDOR SHALL OFFER VALVES STRICTLY AS PER SPECIFICATIONS. DEVIATIONS, IF ANY SHALL BE EXPLICITLY HIGHLIGHTED BY VENDOR CONFIRMING THAT THE DEVIATIONS OFFERED ARE EQUAL OR BETTER THAN WHAT HAVE BEEN SPECIFIED. | |

MAT/PUR/80054-M/18

27.11.2018

M/s.

Dear Sir,

Hindustan Organic Chemicals Ltd. is a Govt. of India Undertaking manufacturing Phenol, Acetone & Hydrogen Peroxide at its plant at Kochi, Kerala, India. HOCL invites Limited e tenders for supply Ball Valves as per attached RFQ . Detailed specification is given in the tender documents. Please note that the material shall be delivered on or before 15th MARCH 2019. Offers with delivery period exceeding the above date may not be considered

Tender documents are uploaded in HOCL website www.hoclkochi.com and www.eprocure.gov.in

The details of the tender are as shown in INDEX enclosed

You may submit your offer on two bid system online before the due date and time specified.

Bid submission closing date : 10.01.2019 at 2.00 pm
Bid Opening date : 11.01.2019 at 2.00 pm

Thanking you,

Yours faithfully,
For Hindustan Organic Chemicals Ltd.

Soumya N K
Dy. Manager Materials

INDEX - TENDER NOTICE FOR BALL VALVES

| | | |
|---|--|--------------|
| 1 | General instructions to the bidders for e bid submission | Annexure-I |
| 2 | Instructions to Bidders for online Bid Submission | Annexure II |
| 3 | Eligibility criteria for participating in the bid | Annexure-III |
| 4 | General Terms and conditions of the tender | Annexure-IV |
| 5 | Commercial Terms format | Annexure-V |
| | | |

GENERAL INSTRUCTIONS TO BIDDERS FOR E BID SUBMISSION

Please submit your e-bids under the two bid system conforming to the specifications and the terms and conditions attached as per instructions given below:-

1. HOCL has entered into an Agreement with nic for e procurement through their portal www.eprocure.gov.in. Quotations shall be submitted online on or before the due date and time of closing the tender. The Techno commercial bid containing the Technical specification of the Products and Proof of satisfactorily meeting the Eligibility Criteria and all commercial terms should be uploaded as per instructions given in Annexure. The Price bid should be submitted in the uploaded BOQ .
 2. Techno commercial bid shall be opened electronically on specified date and time given in NIT. Bidders can witness the electronic opening of bid .The date and time of opening of the price bids will be intimated to the technically qualified bidders after evaluation of the Technical bids via email alerts through the valid email confirmed.
 3. The bid shall contain as integral part of the same the following compliance statement: "We have read, understood and accepted the terms and conditions of purchase and related documents forming part of this enquiry and agree to supply the goods in compliance with the same."
 4. The bids shall be neatly typed in English language with pages consecutively numbered and shall be signed on all pages by authorized persons. Bids shall be free from over writing and all corrections shall be duly attested by the bidder.
 5. Bidders should carefully study the documents of this enquiry. All terms and conditions set out there in the enquiry shall be binding on the bidders unless conflicting with any terms and conditions expressly stated by HOCL while accepting any bid, in the event of such acceptance.
 6. HOCL reserves the right, without assigning any reason whatsoever, to accept or reject any or all bids in part or in full or cancel this enquiry.
 7. HOCL reserves the right to extend without giving any reason(s) the closing date/time of the enquiry.
 8. Bids shall be valid for a minimum of 60 days from the due date for receipt and opening of the bids.
 9. Specification of the Product : Specifications/catalogues/drawing of the product of shall be furnished along with the Technical Bid.
 10. Purchase Preference to Central Public Sector Enterprises of Govt. Of India and MSMEs shall be as per Govt. of India policy in vogue.
-

Instructions for Online Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link "**Online bidder Enrollment**" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.

3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

Note: *My Documents space is only a repository given to the Bidders to ease the uploading process. If Bidder has uploaded his Documents in My Documents space, this does not automatically ensure these Documents being part of Technical Bid.*

SUBMISSION OF BIDS

1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.

4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.

5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to

be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

6) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

7) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

8) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

9) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.

2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

ANNEXURE - III

Eligibility criteria for participating in the bid.

Offers of bidders who satisfy the following Eligibility Criteria only will be considered .

1. Delivery shall be completed before 15.03.2019. Offers with longer delivery period may not be considered. HOCL will have to start the pre-fabrication work and hence vendors may please quote their minimum delivery period.
2. Vendor shall submit of hydraulic test certificates, material test certificate and guarantee certificate alongwith supply of material.
3. Vendor shall submit the specification & QAP provided by HOCL duly signed and stamped with the tender as a token of acceptance. Any deviation may please be mentioned in the deviation statement. No deviation will be allowed after placement of order.
4. Vendor shall submit security deposit within the stipulated time after placement of order.

GENERAL CONDITIONS OF TENDER MAT/PUR/80054-M/18

1.VALIDITY OF OFFER : Offer shall be valid for a minimum period of 60 days from the last date of submission stipulated for the tender.

2.SUBMISSION OF BIDS : Bids shall be uploaded as per the instructions given in Annexure I.

3.Quantity :Quantity given in the tender is based an estimate on maintenance work and actual quantity on order may vary slightly on either side.

4. Security Deposit: Successful bidder will have to pay a Security deposit of 5% of the order value towards satisfactory performance of the contract. SD has to be submitted by way of Bank Guarantee from a Scheduled bank within 21 days of placement of Order. SD will be forfeited in the event of any breach of contract by the supplier. SD will be refunded to the contractor within 60 days of completion of contract. PSU s are exempted from payment of Security Deposit.

5. Quality of Supply : vendor shall submit the following certificates alongwith material.

- a) Hydraulic Test Certificate.
- b) Material test certificate
- c) Guarantee Certificate

6. RIGHT TO REJECT A BID : HOCL reserves the right to reject any bid due to reasons such as (a) Vendor not following above bidding procedures (b) Vendor not being technically acceptable to HOCL (c) Vendor not agreeing with the general conditions of the tender. (e) Not enclosing any particular documents asked for (f) Any other valid reason.

7. PRICE: The price quoted shall be for delivery at our factory at Ambalamugal, Ernakulam District, Kerala state.

8.PAYMENT TERMS: Payment shall be released by HOCL within 30 days of receipt and acceptance of the material at HOCL site

9. INSURANCE : HOCL shall arrange the transit insurance for the materials.. However, the vendor shall promptly inform HOCL regarding despatches for arranging insurance.The transporter engaged shouldhave necessary public liability insurance coverage.

10.SUPPLY SCHEDULE: Supply shall be completed by the delivery date indicated in the Purchase Order .

11.RIGHT TO PROCURE FROM ALTERNATIVE SOURCE : In the event of non-supply by the vendor on whom purchase order is placed, HOCL reserves the right to procure material of same quality from an alternative source at the cost and risk of the Vendor.

12.OPENING OF BIDS : Techno commercial bids will be opened electronically **at 2.00 pm on 11.01.2019**, after evaluation of the techno commercial bids, will subsequently inform all those technically acceptable vendors regarding the date and time of opening of the price bids.

17. PURCHASE/PRICE PREFERENCE: Purchase /Price Preference or any other concessions applicable for SSI Units /PSUs will be as per latest Government Of India Directives. For availing this benefit, the bidder should make their claim in the Technical Bids itself and enclose necessary documentary evidence to prove their eligibility.

COMMERCIAL TERM FORMAT

(To be printed on your letter head& uploaded)

(Please fill up the details mentioned below in your letter head and upload alongwith your bid)

Name and Address of Organization :

Phone & Fax No :

GSTIN :

e-mail id for correspondence :

Contact Person Name and Mobile No:

MSME registration status of bidder: Registered/Non Registered.

(If you are an MSME vendor, Pl. upload documentary evidence for same)

Payment Term offered.

Terms of delivery offered :

P&F, if any

Freight Charges, if any :

Validity of offer :

Delivery period offered from the Date of order :

Taxes Applicable :

Submission of security deposit.

Certificates provided alongwith supply (pl. specify).

Deviation in specification if any

Deviation in QAP if any

Signature and Stamp

टेलीफोन (एरणाकुलम) 2720911- 14, 2720844 - 45, 2721040 - 43.

फॉक्स : (0484) 2720893.

ईमेल : hoclchin@md2.vsnl.net.in वेब : www.hoclkochi.com

Phone (Ernakulam) 2720911- 14, 2720844 - 45, 2721040 - 43.

Fax : (0484) 2720893.

e-mail : hoclchin@md2.vsnl.net.in Web : www.hoclkochi.com



हिन्दुस्तान ऑर्गेनिक केमिकल्स लिमिटेड

(भारत सरकार का उद्यम)

HINDUSTAN ORGANIC CHEMICALS LIMITED

(A Govt. of India Enterprise)

अंबलमुगल : Ambalamugal - 682 302

एरणाकुलम जिला : Ernakulam Dist. केरल : Kerala भारत : India



आई एस ओ 9001-2008 & आई एस ओ 14001 यूनिट
AN ISO 9001-2008 & ISO 14001 UNIT

REQUEST FOR QUOTATION

RFQ NO. 6000020621/2391/80054-M

RFQ DATE : 26.12.2018

Due Date/Time : 10.01.2019 / 14:00

Open Date/Time: 11.01.2019 / 14:00

HOCL GSTIN : 32AAACH2663P1ZG

Dear Sirs,

We shall be grateful to receive your quotation in duplicate for the supply of the under mentioned articles subject to our standard terms and conditions attached herewith. Quotations indicating price, terms of delivery, detailed specification, relevant drawings, pamphlet and literature wherever applicable shall reach us on or before the due date and time stipulated above.

Kindly provide your GSTIN, HSN Code of goods and rate of GST % for all items.

| SL. No. | Material Description | Unit | Qty. |
|---------|---|---------|------|
| 1 | 51553156 SPECIFICATIONS FOR SS BALL VALVES (1/2") Type : THREE Piece design SS 316 Ball valve Valve size : 1/2" End Connection : 1/2 " NPT (F) Body : ASTM A 351 Gr CF8M Ball : ASTM A 351 Gr CF8M or ASTM A182: F316 Seat : Virgin PTFE Stem : ASTM A 182 : F 316 Body seal : Virgin PTFE Gland packing & stem seal : PTFE Valve handle : Carbon steel cadmium plated or with nylon sleeve Rating : Class 800 Test Pressure : 170 bar hydraulic Maximum working pressure : 70 Bar BALL VALVE 1/2" SCRD SS | Numbers | 25 |
| 2 | 58011214 SPECIFICATIONS FOR SS BALL VALVES Type : THREE Piece design SS 316 Ball valve Valve size : 3/4" End Connection : 3/4 " NPT (F) Body : ASTM A 351 Gr CF8M | Numbers | 25 |

| SL. No. | Material Description | Unit | Qty. |
|---------|--|---------|------|
| | Seat : Virgin PTFE Stem : ASTM A 182 : F 316 Body seal : Virgin PTFE Gland packing & stem seal : PTFE Valve handle : Carbon steel cadmium plated or with nylon sleeve Rating : Class 800 Test Pressure : 170 bar hydraulic Maximum working pressure : 70 Bar BALL VALVE 3/4" | | |
| 3 | 58029054 SS 316 BALL VALVE AS PER THE SPECIFICATION SHEET AND QAP ATTACHED BALL VALVE 4"X150# | Numbers | 2 |
| 4 | 51380805 BALL VALVE FOR H2O2 SERVICE AS PER THE SPECIFICATION AND QAP ATTACHED BALL VALVE 3" X 150 # FOR H2O2 | Numbers | 2 |
| 5 | 58022410 BALL VALVE FOR H2O2 SERVICE AS PER THE SPECIFICATION AND QAP ATTACHED BALL VALVE SS316 4X150# H2O2[100X150] | Numbers | 2 |
| 6 | 58021010 BALL VALVE FOR H2O2 SERVICE AS PER THE SPECIFICATION AND QAP ATTACHED BALL VALVE 6X150[150X150] | Numbers | 1 |
| 7 | 51380824 BALL VALVE FOR H2O2 SERVICE AS PER THE SPECIFICATION AND QAP ATTACHED 2"X150# | Numbers | 2 |

NOTE: 1) THE ABOVE MATERIALS ARE REQUIRED FOR ANNUAL SHUT DOWN WORK OF HOCL IN MARCH 2019 AND HENCE REQUIRED ON TOP PRIORITY.

2) PLEASE QUOTE FOR MINIMUM DELIVERY PERIOD REQUIRED.

3) DELIVERY PERIOD SHALL BE STRICTLY FOLLOWED BY THE VENDOR IN THE EVENT OF GETTING THE ORDER.

4) MATERIAL DELIVERY BEYOND 15.3.2019 MAY NOT BE CONSIDERED.

5) HYDRAULIC TEST, MATERIAL TEST AND GUARANTEE CERTIFICATES TO BE PROVIDED ALONG WITH SUPPLY.

FOR HINDUSTAN ORGANIC CHEMICALS LIMITED

(SOUMYA N.K.)
 DY.MANAGER (MATERIALS)