

(This tender aims for already enlisted contractors for this work with HOCL Kochi Unit. Any new contractor who wish to empanel for this type of work may submit their credentials so that they will be evaluated and pre-qualified and shall be considered for similar future work).

HINDUSTAN ORGANIC CHEMICALS LIMITED

(A Government of India Enterprise)

AMBALAMUGAL, Ernakulam District, PIN – 682 032.

Phone: (0484) 2720911, FAX No. (0484) 2720893

E- TENDER NOTICE

HOCL Invites e-Bids under the Two Bid system for the following work:

SI.	Description of Item and Tender No.
No.	
1	RE-DESIGN, SUPPLY, FABRICATION, TESTING AND TRANSPORTATION OF SHELL AND
	DISH END OF RERUN COLUMN REBOILER
	HOCL Tender Ref : MEC30311

Tender documents may be downloaded from www.eprocure.gov.in.

Interested parties may please get registered with NIC e procurement portal (URL: https://eprocure.gov.in/eprocure/app.) to participate in the tender. Tenders submitted other than through online procedure specified will not be accepted. Please visit the above sites regularly for any addendum/ corrigendum/ extension before submitting the offers.

Please submit your E-bids under the <u>Two Bid system</u> confirming to the specifications and the terms and conditions.

For and on behalf of Hindustan Organic Chemicals Limited (GSTN:32AAACH2663P1ZG),(CIN:l99999MN1960GOI011895)

बेनो॰पी॰कुरियन्स BENO.P.KURIANS उप महाप्रबंधक (यांत्रिक/प्रोजेक्ट्स/सी एल आर पी) DGM (MECH/PROJ./CLRP)

HINDUSTAN ORGANIC CHEMICALS LIMITED

(A Government of India Enterprise)

AMBALAMUGAL, Ernakulam District, PIN – 682 032.

Phone: (0484) 2720911, FAX No. (0484) 2720893

	Phone: (0484) 2720911, FAX No. (0484) 2720893		
MEC30311			
M/s.			

Hindustan Organic Chemicals Limited is a Government of India Undertaking manufacturing Phenol, Acetone & Hydrogen Peroxide at its plant at Kochi, Kerala, India. HOCL invites etenders for **RE-DESIGN**, **SUPPLY**, **FABRICATION**, **TESTING AND TRANSPORTATION OF SHELL AND DISH END OF RERUN COLUMN REBOILER**. HOCL has entered into an agreement with M/s. NIC for e-procurement through their portal https://eprocure.gov.in/eprocure/app. You may please get registered as a vendor with NIC for participating in this tender.

Tender documents are uploaded in HOCL website <u>www.hoclkochi.com</u>, <u>https://mkp.gem.gov.in/market & https://eprocure.gov.in/eprocure/app</u>

Index of documents enclosed is attached herewith. You are requested to kindly go through all the documents in detail before preparing/submitting your tender.

You may submit your offer on two-bid system online before the due date and time specified.

specified.

Thanking you,

Dear Sir,

Yours Faithfully, For Hindustan Organic Chemicals Limited (CIN: L99999MH1960GOIO11895),

बेनो॰पी॰कुरियन्स BENO.P.KURIANS उप महाप्रबंधक (यांत्रिक/प्रोजेक्ट्स/सी एल आर पी) DGM (MECH/PROJ./CLRP)

INDEX

LIMITED TENDER NOTICE FOR RE-DESIGN, SUPPLY, FABRICATION, TESTING AND TRANSPORTATION OF SHELL AND DISH END OF RERUN COLUMN REBOILER

1	General instructions for Online bid submission	ANNEXURE - I
2	General Terms and conditions of the tender	ANNEXURE - II
3	Scope of work	ANNEXURE - III
4	Special Conditions of Contract	ANNEXURE - IV
5	Compliance/No Deviation Statement	ANNEXURE - V
6	Compliance of General Conditions of Contract (GCC)	ANNEXURE - VI
7	Check List	ANNEXURE - VII
8	ESI, PF, Labour Law etc. – Requirements	
9	Labour Laws	ANNEW 195 A B C C S
10	Safety, Health & Environment (SHE) Conditions	ANNEXURE A, B, C & D
11	Proforma of Declaration of Black Listing/ Holiday Listing	
12	Bidder Information	ANNEXURE - E
13	Self Declaration	ANNEXURE - F
14	Bid Security Declaration	ANNEXURE - H
15	Drawing	3 sheets

This Document to be Signed and Stamped by Bidder on All Pages and Submitted along with the E-Tender

ANNEXURE-I

HINDUSTAN ORGANIC CHEMICALS LIMITED (A Government of India Enterprise) Ambalamugal P.O., Ernakulam District, Kerala – 682 302.

Tender Ref. No: MEC30311

General instructions for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the Central Public Procurement Portal(Govt. Of India), using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

REGISTRATION

- Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- 1. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BID

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

Note: My Documents space is only a repository given to the Bidders to ease the uploading process. If Bidder has uploaded his Documents in My Documents space, this does not automatically ensure these Documents being part of Technical Bid.

SUBMISSION OF BIDS

- 1. Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3. Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4. Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

- 6. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9. Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 10. The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

Contact Person (National Informatics Centre)

Mr.Midhun Babu Sr. Systems Analyst - HOCL Mob: 8921387812, 8547196394 **HOCL Work Co-ordinator**

Mr. M.K. Girijan
Deputy General Manager (Mechanical)
Mob: 8547624778

ANNEXURE-II

Tender Ref. No: MEC30311

GENERAL TERMS AND CONDITIONS OF THE TENDER

EARNEST MONEY DEPOSIT

Quotation shall accompany an EMD of ₹5,000/- shall be paid by crossed DD/Bankers Cheque/thro' NEFT.

Bank Details - Central Bank of India, Tripunithura

- A/c No. 3580607136 - IFSC - CBIN0284515

Details of bank transfer should be indicated in your technical offer. Quotations not accompanied with EMD, are liable to be rejected.

EMD of the tenderer will be forfeited under the following conditions:-

- 1. If after opening of the tender, the tenderer revokes his tender or increase his quoted rates.
- 2. If the tenderer does not commence the work after awarding the contract.
- 3. No interest on EMD will be paid.
- 4. EMD of the successful tenderer will be adjusted against the security deposit.
- 5. EMD of unsuccessful bidders shall be refunded after finalization of the contract and no interest shall be payable.
- 6. The tender is revoked or varied during its validity period.
- 7. The Prices are increased unilaterally after the tender opening and during its validity.
- 8. The tenderer after intimation of acceptance of the tender fails to execute the agreement/or furnish security deposit within the stipulated time.

COST OF TENDER DOCUMENTS - Nil

RATES

Rates quoted shall be inclusive of all taxes, duties, octroi and other levies etc. GST, in case applicable shall be paid extra. The bidder should have GST registration with Central Excise Department.

SECURITY DEPOSIT

- Total security deposit shall be 3% of total contract value.
- 1% of order value of contract referred as Initial Security Deposit shall be furnished within 21 days after notification of the award of work.
- O Balance 2% shall be recovered through deductions at the rate of 3% of the value of each running account bill till the total 3% security deposit amount is collected.

LIQUIDATED DAMAGES

If the work is not completed within the stipulated time, the contractor is liable to pay a LD of ½% of the total contract value **per week** of the delay or part there of subject to a maximum of 5% of the contract value.

PERIOD OF CONTRACT

The period of the contract shall be **1 year** from the date of issue of work order/issue of instruction to start the work.

SCOPE OF SUPPLY

MATERIALS

a. HOCL's Scope

Nil.

b. Contractor's Scope

All skilled & Unskilled manpower require for the work is to be arranged by the contractor. All machines, tools, tackles, lifting equipments such as crane, chain pulleys, slings, D shackles, Hydraulic test pumps and other tools and equipments required for the completion of the work is to be arranged by the contractor.

All the materials including steel plates required for shell, top / bottom /side dished end of the vessel, pipes and flanges required for nozzles, shell stiffening rings, structural supports / saddle support, cleats required for fixing ladder and platforms, etc., as per drawing / TPS shall be supplied by vendor.

Supply of painting material is in the scope of Vendor.

TOOLS AND TACKLES

a. Contractor's Scope

No work at HOCL, Kochi premises is envisaged.

b. HOCL's Scope

No work at HOCL, Kochi premises is envisaged.

GENERAL SITE CLEANING

Working site should always be kept cleaned up to the entire satisfaction of the Engineer/Officer-In-Charge. Upon completion of the work, all materials shall be transported to designated locations in HOCL premises as directed by the Engineer/Officer-In-Charge on daily basis. Material reconciliation has to be carried out before submitting the bill.

TIME OF COMPLETION

The supply of the equipment at HOC site should be completed within **2 months** from the date of work order / LOI.

VALIDITY OF THE TENDER

The tender shall be kept valid for acceptance for a period of **THREE months** from the last date prescribed for receipt of the tender.

A Tenderer shall not be entitled during the said period of three months without the consent in writing of the company to revoke or cancel his tender or to vary the tendered rate or any terms thereof.

PRICE

The Contract will be awarded on fixed all-inclusive price unless otherwise specified. All rates in the tender shall cover applicable taxes, levies and duties. However applicable GST will be paid by HOCL subject to the successful tenderer having GST registration with Central Excise.

The price shall be quoted both in figures and words. In case a tenderer has quoted two different prices in words and figures the lower of the two will be considered valid and binding on the tenderer.

PAYMENT TERMS

- 30% (Total Order Value) against material identification and certification by third party inspection agency and submission of Bank Guarantee for the said amount.
- 67%(Total Order Value) payment will be made on completion of the supply of the vessel at HOCL, Ambalamugal along with all documents like final inspection cum release note, test certificate data folder, as built drawing and CD.
- Balance 3% (Total Order Value) payment will be made after completion of defect liability period or on production of PBG for the same amount.

CONTRACT PREFERENCE

Contract / Price Preference or any other concessions applicable for MSME / SSI Units /PSUs will be as per latest Government of India Directives. For availing this benefit, the bidder shall make their claim in the Bid itself and enclose necessary documentary evidence to prove their eligibility.

DEFECT LIABILITY PERIOD

Contractor shall guarantee the work for a period of 12 months from the date of issue of completion certificate. Any damage or defect that may arise or lie undiscovered at the time of issue of completion certificate, connected in any way with the workmanship should be rectified by the contractor at his own expense as deemed necessary by the Engineer-in-Charge.

OTHER TERMS AND CONDITIONS

GENERAL CONDITIONS OF CONTRACT (GCC) OF HOCL

The General Conditions of Contract of the company is applicable to, and forms part of the contract. The General Conditions of Contract of HOCL is available in the office of The Chief General Manager (P&A) of HOCL, Ambalamugal or can be downloaded from our Web site www.hoclkochi.com.

RIGHT TO ISSUE ADDENDUM

The company reserves the right to issue any addendum to the tender document to clarify/amend/supplement and/ or delete any of the conditions, clauses or terms stated in the tender documents. Each addendum issued shall be distributed to the tenderer or his authorized representative and each such addendum shall become part of the tender documents.

DUE DATE & TIME: Due date for submission of tender is (Closing date) 14/03/2022 at 02.00 PM.

OPENING OF BIDS: The Bids will be opened on 15/03/2022 at 02.00 PM electronically. Technically acceptable bidders will be informed about the date and time of opening of the price bids by emails.

<u>VALIDITY OF OFFER:</u> Offer shall be valid for a minimum period of 90 days from the last date of submission stipulated for the tender.

SUBMISSION OF BIDS: Refer Annexure I.

PRICE BID SUBMISSION-BOQ: Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. **Bidders are required to download the BOQ file, open it and complete the blue coloured (unprotected) cells with their respective financial quotes and other details.** Refer Instructions to Bidder for Online Bid Submission. (such as name of the bidder). No other cells should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

RIGHT TO REJECT A BID: HOCL reserves the right to reject any bid due to reasons such as (a) Vendor not following above bidding procedures (b) Vendor not being technically acceptable to HOCL (c) Not enclosing EMD with the techno commercial bid or EMD paid being lesser than the stipulated amount (d) Vendor not agreeing with the general conditions of the tender. (e) Not enclosing any particular documents asked for (f) Any other valid reasons.

SIGNING & STAMPING ON ALL PAGES OF BIDS: The vendor shall sign and stamp on all the pages of the bids uploaded, failing which bids are liable to be rejected.

ANNEXURE-III

Tender Ref. No: MEC30311

NAME OF WORK: <u>RE-DESIGN</u>, <u>SUPPLY</u>, <u>FABRICATION</u>, <u>TESTING AND TRANSPORTATION OF SHELL</u> <u>AND DISH END OF RERUN COLUMN REBOILER</u>

SCOPE OF WORK

"TIME IS THE ESSENCE OF THIS CONTRACT"

"TIME IS THE ESSENCE OF THIS CONTRACT"

The scope of work includes but not limited to the following:

1. Supply

Redesign, preparation of fabrication drawing, supply, Fabrication, testing and transportation of shell and dish end of Rerun Column Reboiler as per the attached drawings, Technical specifications etc.

The drawing given along with the Tender is a schematic drawing, the supplier has to supply the shell with 8mm & dish end with 12mm minimum thickness respectively without changing the Inside Diameter of the heat exchanger, other dimensions and nozzle stand out (Projection) from the centre line of the shell.

Design Data

	Shell	
Design Pressure, Kg/cm2g	2	
Design Temperature °C	400	
Working Pressure	-	
Working Temperature	-	
Hyd.Test Pressure, Kg/cm2g	3	
Corrosion Allowance, mm	NIL	
Radiography/Joint Efficiency	SPOT/0.85%	
Heat Treatment	Dished Head	
neat freatment	Normalized	
Fluid	PHENOL + TAR	
Number of Passes	ONE	
Lining	-	
Insulation	•	
Finish Required		
MOC	SA 516 Gr.60	
Design Code: ASME Sec VIII Div 1		

Note: We are attaching the tube bundle drawing for the reference for the design of the shell. Procurement of the tube bundle is not envisaged.

Detailed Engineering

- 1. Mechanical design of the equipment based on the drawings and specifications listed in the "Attachment" sheets. Submission of mechanical design calculations and fabrication drawings as per vendor data requirements for approval to HOCL, in the event of getting work order.
- 2. The scope of work includes procurement of materials, Redesign, fabrication, testing and supply of the Rerun Column Reboiler. Vendor shall supply the exchanger with all appurtenances, internals and accessories required for testing, operation and maintenance as per the drawing. Vender shall ensure that the material specification/dimensions/weld seam locations and nozzle orientations are identical to the existing tube bundle and generally as per the attached drawing. However the vendor shall submit the shell development and detailed drawing including the material list for review and approval by HOCL IIIrd party inspection agency. (Other parts like tube bundle assembly or channel head are **NOT** covered in this scope of work)
- 3. Site visit for assessment of critical details / dimensions such as nozzle orientation, nozzle stand out (projection), nozzle flange rating and drilling dimensions, etc. if the party desires so. All nozzle connections on the equipment shall match the pairing nozzle flanges of the connected piping in existing system.
- 4. The inside Diameter (ID) of the shell and dish end of the heat exchanger shall not be varied from the drawings.
- 5. All Gasket faces should be serrated to 125Ra (As per B16.5 clause 6.3.4).
- 6. Procurement of all materials as per drawing including steel plates, dish end, structural, nozzle pipes & flanges, nozzle reinforcement and structural pad plates, structural supports, cleats for shell, Pipes and flanges required for nozzles, shell stiffening rings, external shell stiffeners, lifting lugs, saddle support, structural support cleats required etc.
- 7. Preparation and obtaining approval from IIIrd Party inspection agency of welding procedure specification (WPS), Procedure Qualification Records (PQR) and welder performance qualification (WPQ).
- 8. Documents including a detailed quality assurance plan (QAP) to be submitted immediately on receipt of firm work order for the approval of HOCL/III Party Inspection Agency.
- 9. Fabrication drawings shall be submitted for approval within 10 days from the receipt of work order. (Delay in submission of drawings / getting approval shall in no way relieve the vendor of his responsibility in meeting all the provisions of the enquiry conditions). However, the dimensions and thickness of the shell and dish ends need to be maintained.
- 10. All test certificates like material test certificates (Mill test certificate), chemical analysis report etc. should be from a reputed govt. approved lab duly reviewed by third party. The party should submit 3 copies of the data folder to HOC duly approved by third party inspection agency at the time of delivery. The data folder should contain at least the following certificates:

- a. Material test certificates (Mill test certificates)
- b. Chemical Analysis Report
- c.Dimensional Inspection Report
- d. Visual inspection certificates for deformation of vessel after welding, finish of material / machined surface
- e. Hydro test certificate
- f. NDT Test certificate
- g. Final Inspection cum release note
- h. WPS/WPQ for all welding, radiography report
- i. Stress relieving report with temperature time graph
- j. As-built drawing (6sets + 1 soft copy in Auto CAD –Editable format)
- 11. IIIrd Party Inspection is required for
 - Material identification
 - QAP & Delivery schedule, WPS, WPQ, PWHT, NDT Procedures, Radiography, Stress Relieving etc.
 - Stage wise inspection during fabrication as per QAP
 - Final Inspection during fabrication as per QAP.

Inspection and testing shall be carried out strictly to the requirements of codes stated in the specification by the IIIrd Party inspection agency. Third party inspector will be appointed by HOCL at their cost.

- 12. Fabrication of the exchanger shell and dish end, pipes & flanges required for nozzles (N1 & N2), shell stiffening rings external shell stiffeners, lifting lugs, structural support / saddle support, cleats required etc. Post weld heat treatment of the fabricated equipment.
- 13. Mechanical fabrication and testing shall be as per ASME Sec VIII Div 1 / TEMA Class R (Latest edition).
- 14. Welding of cleats / brackets for the fixing of ladders and platforms (if any).
- 15. Post weld heat treatment of the fabricated equipment.
- 16. Radiography has to be done as per ASME Code.
- 17. Inspection and testing including hydro test.
- 18. WORK PLANNING CHART AND WEEKLY PROGRESS REPORT SHOULD BE SUBMITTED TO HOC WITHIN 5 DAYS IN THE EVENT OF GETTING ORDER.
- 19. Transportation of the equipments to site. Transit insurance will be arranged by HOCL. Vendor shall inform the details prior to the dispatch for insurance purpose.
- 20. Supply and application of primer and finish paint as per section 6.

21. Any other items covered in other documents / drawings attached with the enquiry but not specifically mentioned above.

2. Submission of drawings & Documents

Vendor shall submit the following documents to HOCL.

- 1. Dimensioned general arrangement drawing of the exchanger shell shall be submitted. The party should submit the as-built drawing along with supply of exchanger shell. (6 sets + 1 set soft copy in Auto CAD editable format)
- 2. Dimensioned shell development drawing showing details of the circumferential & longitudinal weld seams, nozzle openings & RF pads and external shell stiffeners, ladder / platform support and insulation cleats etc.
- 3. Detailed QAP for procurement, Fabrication, inspection and supply shall be submitted for approval and weekly progress report should be submitted to HOCL without fail.
- 4. Welding procedure specification (WPS), Procedure Qualification Record (PQR) and Welder performance qualification (WPQ)
- 5. Material Test Certificates for brought-out items such as plates, nozzle pipe & flanges, fasteners, gaskets, etc.
- 6. NDT, Dimensional report and hydro test report.
- 7. Radiography report
- 8. Heat treatment procedure and stress relieving record.
- 9. Final "AS BUILT" drawings as mentioned above.

3. Materials

- 1. All the materials including steel plates required for shell, dished end, pipes and flanges required for nozzles, shell stiffening rings, structural supports / saddle support, cleats required for fixing ladder and platforms, etc., as per drawing shall be supplied by vendor.
- 2. Refer the attached drawing for the item-wise material of construction / bill of materials.
- 3. All nozzle fasteners shall confirm to ASTM A193 Gr.B7 and ASTM A194 Gr. 2H.
- 4. All materials supplied by the vendor shall meet the requirements of attached drawings/ Specifications and applicable codes & standards. Test certificates for the materials shall be submitted to HOCL.
- 5. Supply of painting material is in the scope of Vendor.
- 6. All gaskets shall be supplied as per the drawing attached.

4. Fabrication

- 1. Fabrication of the section shall be confirms to ASME Sec VIII Div.1 code
- 2. The schematic drawing of the exchanger shell and dish end are attached. If anything is not clear from the drawing the bidder is free to visit our site to clarify their doubts and collect the details they required. It is the responsibility of the vendor to submit the fabrication drawing of the equipment. The scope of the vendor shall include site visit for assessment of critical details / dimensions such as nozzle orientation, nozzle stand-out (projection), nozzle flange rating and drilling dimensions, etc. if the party desires so. All nozzle connections on the equipment shall match the pairing nozzle flanges of the connected piping. Vendor shall submit to HOCL the detailed general arrangement and shell development drawings.
- 3. Formed parts shall have minimum required thickness after forming as per the drawing. Plate thickness selection shall be done after consideration of thinning while forming.
- 4. Design and fabrication of the dummy covers (end closure) for shop hydro test is in the vendors scope.
- 5. This item is required one to one replacement of the shell and dish end of the existing exchanger and supplier has to take care of all nozzle orientation, stand out, padding etc. to avoid any mismatch at site during erection.

5. Testing & Inspections

- 1. IIIrd Party inspection is required for material identification. Approval of WPS / WPQ and PQR Radiography and NDTS as per QAP.
- 2. IIIrd Party shall carry out the inspection at various stages of fabrication / procurement, including raw material identification as per QAP.
- 3. Approval of review of drawings / specifications / QAP etc. by HOCL shall in no way relieve the vendor of his responsibility in meeting all the provisions of the enquiry conditions.
- 4. All root runs of butt-welds shall be back chipped and dye penetrant tested.
- 5. All weld joints shall be tested by MPI & UT Flaw check also.
- 6. All 'T' joints shall be radio graphed (covering a minimum of 100mm on each leg of the tee)
- 7. Final inspection and hydro testing shall be carried out at shop before dispatch and the same shall be got witnessed by IIIrd Party/HOCL.

6. Painting

- 1. Grit Blasting Complete grit blasting of the equipment has to be done to the required finish as per SSPC-SP-5-63 and the same shall be certified by III party inspection.
- 2. Supply of painting materials & painting of the equipment and attached structural as per the detailed given in Technical Specification.
- 3. All un-machined CS (external) surfaces shall be shot / slag blasted to SA 2 ½ Standard and painted.
- 4. All machined surfaces to be coated with rust protecting coats.

7. General

- 1. Entire work shall be carried out in accordance with relevant standards and accepted codes of practices.
- 2. All butt welds shall have full penetration. When welding is carried out from both sides of a joint, the root of first side shall be dressed back to sound metal and Dye penetrant tested before commencement of weld on second side.
- 3. All butt welds on the inner surface of the replaced section of the vessel shall be ground flush. Fillet welds shall be ground to smooth contour.
- 4. Cleats for structural shall not be welded directly to the vessel. Pad plates of the same material as the shell be provided for this purpose.
- 5. All necessary cleats and pad plates required for platforms and ladders and pipe support cleats are to be provided.
- 6. The bolt holes of saddle support to be fabricated and shall match with the present foundation bolts. Cleats for platforms and ladders to be provided at the present location for use of existing platforms and ladders.
- 7. All civil works and erection works are exempted from scope of work.
- 8. Mating flanges exempted from the scope of supply.

8. Transportation

- 1. The entire section of the vessel, davit arms etc. shall be transported to site in one piece.
- 2. All flanges and gasket faces should be covered with wooden plank before transportation.
- 3. Unloading of the equipments at HOCL site shall be carried out by HOCL at their cost.
- 4. Fasteners shall be properly marked, packed and supplied loose.
- 5. Transit Insurance will be arranged by HOCL at their cost. However party need to provide the dispatch details in advance to arrange the same.

9. Exclusions

Field Hydro test, supply and fixing of platforms & ladders is excluded from the vendor's scope.

10. Guarantee

The equipment (section supplied) and parts shall be guaranteed against defects in design, material, workmanship, and performance for a period of 18 months from the date of supply or 12 months from the date of installation of the equipment at the site whichever is earlier.

11. Completion period

The supply of the equipment at HOC site should be completed within **2 months** from the date of work order / LOI

12. Liquidated damages

In case the contractor fails to complete the work within the stipulated period, contractor shall be liable to pay a LD of ½% (half percentage) of the contract value per week for the delay or part thereof subject to a maximum of 5% (Five percentages) of the contract value.

13. Payment terms

- 30% (Total Order Value) against material identification and certification by third party inspection agency and submission of Bank Guarantee for the said amount.
- 67%(Total Order Value) payment will be made on completion of the supply of the vessel at HOCL, Ambalamugal along with all documents like final inspection cum release note, test certificate data folder, as built drawing and CD.
- Balance 3% (Total Order Value) payment will be made after completion of defect liability period or on production of PBG for the same amount.

14. Security Deposit

- Total security deposit shall be 3% of total contract value.
- 1% of order value of contract remitted as Initial Security Deposit shall be furnished within 21 days after notification of the award of work.
- Balance 2% shall be recovered through deductions at the rate of 3% of the value of each running account bill till the total 3% security deposit amount is collected.

15. Period of Contract

The period of the contract shall be **1 year** from the date of issue of work order/issue of instruction to start the work.

TECHNICAL SPECIFICATION FOR PAINTING

General

These technical specifications shall be applicable for the work covered by this contract, over and above and without prejudice to the various codes of practices, standard specifications, etc., it being specifically understood that contractor shall carry out the work in all respects with the best quality of materials and workmanship, and in accordance with the best engineering practice and instructions of Engineer-in-Charge.

Wherever it is stated in the specification that a specific material is to be supplied or a specific work is to be done, it shall be deemed that the same shall be supplied or carried out by the contractor of his own cost.

Sc<u>ope</u>

Scope of work covered in the specification shall include without being limited to the following:

This specification defines the requirements for surface preparation, selection and application of paints, on equipment vessels, machinery, piping, ducts, tanks, steel structures, cable trays etc.

Codes and Standard

IS: 161 - Heat resisting paints

IS: 13183 - Aluminium paint, Heat Resistant

IS: 2339 - Aluminium paint for general purposes individual container.

The paint manufacturer's instructions shall be followed as far as possible at all times. Particular attention shall be given to the following:

- a. Proper storage to avoid exposure, as well as extremes of temperature.
- b. Surface preparation prior to painting
- c. Mixing and thinning
- d. Application of paints and the recommended limit on time intervals between coats.

Any painting work including surface preparation on piping or equipment shall be commenced only after the system tests have been completed and clearance for taking up painting work is given by the IIIrd Party, who may, however, at his discretion authorize in writing for, the taking up of surface preparation or painting work in any specific location, even prior to completion of system test.

Paint Materials

Manufacturers shall furnish the characteristics of paints indicating the suitability for the required service conditions. Primer and finish coats shall be of class quality and shall conform to the following:

Finish Coats(F-11) Heat Resistant Aluminium Paint THREE COAT suitable upto 600° C)

TYPE :- Heat Resistant Aluminium Paint suitable upto 600º C

Composition :- Duel container (paste & medium). Composition Heat resistant special

varnish medium combined with Aluminium flakes

Volume solids :- 20 - 25% (min.)
DFT :- 20 microns/coat (min)

Covering capacity :- 10 - 12 M2/Lit/coat

Painting System Requirement:

Three coats of Heat Resistant Aluminium Paint suitable upto 400° C

DFT

Finish - (20+3) (3 Coats)

Colour

Aluminium

Note:

- Covering capacity and DFT depends on method of application. Covering capacity specified above are theoretical. Allowing the losses during application, minimum specified DFT should be maintained.
- 2. All finish coats should be cold cured and air drying unless otherwise specified.
- 3. All painting should be applied in accordance with manufacturer's instructions for surface preparation, intervals, curing and application. The surface preparation, quality and workmanship should be ensured.
- 4. Technical data sheets for all paints shall be supplied at the time of submission of quotations.

Manufacturers

The paints shall conform to the specifications given above and Class - I quality in their products, range of any of the following manufacturers:

- a. M/s. Asian Paints (India) Ltd:
- b. M/s. Bombay Paints
- c. M/s. Berger Paints India Ltd:
- d. M/s. Goodlass Nerolac Paints Ltd:
- e. M/s. Garware Paints
- f. M/s. Jenson & Nicholson
- g. M/s. Shalimar Paints

Inspection and Testing

All painting materials including thinners shall be procured from reputed manufacturers as per specifications and shall be accompanied by manufacturer's test certificates.

The panting work shall be subject to inspection by IIIrd Party at all times. In particular, following stage inspection will be performed and contractor shall offer the work for inspection and approval at every stage before proceeding with next stage. The record of inspection shall be maintained. Stages of inspection are as follows:

- Surface preparation
- Each coat of paint

Any defect noticed during the various stages of inspection shall be rectified by the contractor to the entire satisfaction of IIIrd Party Inspection before proceeding further. Irrespective of the inspection, repair and approval at intermediate stages of work, contractor shall be responsible for making good any defects found during final inspection/guarantee period/defect liability period as defined in general condition of contract. Dry film thickness (DFT) shall be checked and recorded after application each coat.

Application

After surface preparation, the First Coat should be worked by brush application to cover the corners, sharp edges etc. in the presence of IIIrd Party inspector nominated by HOCL.

The thickness of each coat and complete coverage should be checked as per provision of this specification. This should be approved by IIIrd Party inspector before application of successive coats.

Prior to application of paints on surfaces, the thickness of the individual coat shall be checked by application of each coat of same paint on test M.S.Panel. The thickness of paint on test panel shall be determined by using thickness gauge such as "Elkometer". The thickness of each coat shall be checked as per provision of this specification. This shall be approved by IIIrd Party before application of paints on the vessel surface.

Final inspection shall include measurement of paint dry film thickness, check of finish and workmanship. The thickness should be measured at as many points/locations as decided by $\mathrm{III}^{\mathrm{rd}}$ Party inspector and shall be within \pm 10% of the dry film thickness

Standard Specification for surface preparation

Surface preparation shall be done by one of the following methods in accordance with the SSPC specification:

No.	Specification	Subject	Purpose
1.	SSPC-SP-1-63	Solvent Cleaning	Removal of oil, grease, dirt, soil, salts and contaminants by cleaning with solvents, vapour, alkali, emulsion or steam
2.	SSPC-SP-2-63	Hand Tool Cleaning	Removal of loose rust, loose mill scale, and loose paint to degree specified, by hand chipping, scraping, sanding and wire brushing
3.	SSPC-SP-3-63	Power Tool Cleaning	Removal of loose rust, loose mill scale, and loose paint to degree specified, by power tool chipping, descaling, sanding, wire brushing and grinding.
4.	SSPC-SP-4-63	Flame Cleaning on New Steel	Dehydrating and removal of rust, loose mill scale, and some tight mill scale by use of flame, followed by wire brushing
5.	SSPC-SP-5-63	White Metal Blast Cleaning	Removal of all visible rust, mill scale, paint and foreign matter, by blast cleaning by wheel or nozzle (dry or wet) using sand, grit or shot. (for very corrosive atmosphere where high cost of cleaning is warranted)
6.	SSPC-SP-6-63	Commercial Blast Cleaning	Blast cleaning until at least two-thirds of each element of surface area is free of all visible residues (For rather severe conditions of exposure)
7.	SSPC-SP-7-63	Brush-off Blast Cleaning	Blast cleaning of all except tightly adhering residues of mill scale, rust and coatings, exposing numerous evenly distributed flecks of underlying metal.
8.	SSPC-SP-9-63T	Weathering Followed by Blast Cleaning	Weathering to remove all or part of mill scale followed by blast cleaning to one of the above standards.
9.	SSPC-SP-10-63T	Near While Blast Cleaning	Blast cleaning nearly to white metal cleanliness, until at least 95% of each element of surface area is free of all visible residues. (For high humidity, chemical atmosphere, marine or other corrosive environment.)

Other HOCL Details:

TIN: 32070430405 CST:0704C003040

ECC No: AAA CH 266 3PXM002

PAN No. AAACH 2663 P

CENTRAL EXCISE REGN. No. 2/ABL/97 dt. 02/04/1997


ANNEXURE-IV

Tender Ref. No: MEC30311

NAME OF WORK: <u>RE-DESIGN</u>, <u>SUPPLY</u>, <u>FABRICATION</u>, <u>TESTING AND TRANSPORTATION OF SHELL</u> <u>AND DISH END OF RERUN COLUMN REBOILER</u>

SPECIAL CONDITINOS OF CONTRACT

- 1. All manpower, tools, tackles, hydraulic test pumps, lifting tools, ropes, wire brushes, chain pulley block, wheel barrows etc. whatever required for the work are to be arranged by the contractor. A list of tools and tackles intended to be brought for the work by the contractor has to be kept along with the bid.
- 2. Safety Helmets, safety shoes, goggles, safety belts and other PPEs etc. for the workmen and supervisor employed for the work are to be arranged by the contractor.
- 3. No work to be carried out without wearing safety gadgets (PPE's), work order, confined space entry record and safety work permit by the employees of the contractor.
- 4. You have to put all efforts to complete the work in time. Also you have to deploy people on round the clock basis if situation warrants as per the instruction of Engineer-in-Charge.
- 5. The entire work is to be carried out as per the standard engineering practice and subjected to stage inspection by HOC/3rd party inspection agency.
- 6. All debris, waste etc. arising out of the job should be segregated weighed, transported and dumped into the scrap yard as per the instruction of Engineer-in-Charge at your cost. The contractor also has to abide by the guidelines for Environmental Protection.
- 7. HOC has every right to stop the work if the progress and quality of work is found unsatisfactory. The balance work will be carried out by HOC through another agency at the cost and risk of the first contractor.
- 8. Appropriate insurance shall be arranged by the contractor for the coverage of the liability to the people employed by them, arising out of any accident occurring during the execution of the work.
- 9. The Contractor shall follow all clause in Annexure –A, B & C like ESI, Safety Regulations and General Conditions of Contract, Workmen Compensation, Personal Protective Equipment (PPE), Labor Laws, PF, Guidelines to contractors / suppliers for environmental protection & Confined Space Entry
- 10. Contractor shall ensure that a standby person is kept outside the man-way nozzle when the work is inside a confined space.
- 11. You are requested to visit the site to ascertain the exact quantum of work/site condition before submitting your offer if you desire so.



ANNEXURE-V

COMPLIANCE / NO-DEVIATION STATEMENT

Tender Ref. No: MEC30311

NAME OF WORK: <u>RE-DESIGN</u>, <u>SUPPLY</u>, <u>FABRICATION</u>, <u>TESTING AND TRANSPORTATION OF SHELL</u>
<u>AND DISH END OF RERUN COLUMN REBOILER</u>

It is hereby stated that the quotation/offer submitted by us is in full compliance with all the documents issued against the enquiry and also further confirmed that there is no deviation from all the terms and conditions as per the enquiry.

Name of the Tenderer	:	
Address	:	
Place :		CEAI
Date :		SEAL

Signature of the Tenderer



ANNEXURE - VI

COMPLIANCE OF GENERAL CONDITIONS OF CONTRACT (GCC)

Tender Ref. No: MEC30311

NAME OF WORK: <u>RE-DESIGN</u>, <u>SUPPLY</u>, <u>FABRICATION</u>, <u>TESTING AND TRANSPORTATION OF SHELL</u>
<u>AND DISH END OF RERUN COLUMN REBOILER</u>

It is hereby stated that we have read and understood General Conditions of Contract (GCC) and confirm that we abide by all the terms and conditions of GCC.

Signature of the Tenderer	:		
Name of the Tenderer	:		
Address	:		
Place :		SEAL	
Date :			

ANNEXURE-VII

Tender Ref. No: MEC30311

NAME OF WORK: <u>RE-DESIGN</u>, <u>SUPPLY</u>, <u>FABRICATION</u>, <u>TESTING AND TRANSPORTATION OF SHELL</u> <u>AND DISH END OF RERUN COLUMN REBOILER</u>

CHECK LIST

- 1. Scope of Work, General Terms and Conditions, Special Conditions of Contract, Drawing, No Deviation Statement, Compliance of General Conditions of Contract (GCC) (Annexure I,II, III, IV, V, VI, A, B & C) to be signed and stamped on all pages, scanned and uploaded (YES/NO).
- 2. Proforma of Declaration of Black Listing/ Holiday Listing (Annexure D) duly filled, signed and stamped, scanned and uploaded (YES/NO).
- 3. Bidder Information (Annexure E) put **v** mark in front of your confirmation, signed and stamped, scanned and uploaded (YES/NO).
- 4. Self Declaration (Annexure F) duly filled, signed and stamped, scanned and uploaded. (YES/NO).
- 5. Bid Security Declaration (Annexure H) duly filled, signed and stamped, scanned and uploaded (YES/NO).
- 6. Equipment/tools list is uploaded (YES/NO).
- 7. Exceptions and deviations, if any, with reference to the Clause No. and page No. of Tender shall be submitted as a separate statement (Deviation Statement)

Signature of the Tenderer	:
Name of the Tenderer	:
Address	:
Place :	
Date :	

ANNEXURE - A

ESI, PF, LABOUR LAW ETC. - REQUIREMENTS

1. ESI As per the ESI Act 1948

The Contractor shall enroll all his men deployed for the work in the ESI scheme. Registration for all workmen under ESI scheme is also to be complied with.

2. Safety Regulations and General Conditions of Contract

The Contractor should be strictly abide all the safety regulation of HOC specified in GCC. Contractor should obtain necessary safety work permit from authorised officer before starting the work every day, in every shift.

3. Workmen Compensation

It will be your responsibility to meet all claims for compensation under workmen's Compensation Act 1923. ESI or under any other law in respect of sickness, accidents injury or death suffered by workmen engaged by you for carrying out the work. It shall be the sole responsibility of the contractor to comply with Employee's State Insurance Act 1948. You will also be responsible and liable in respect of claims for damage to property or persons arising from or in the course of execution of the contract work undertaken by you. You hereby agree that you shall keep HOC fully indemnified in respect of claims under the Workmen Compensation Act and all other claims aforesaid and you shall not under any circumstances raise any dispute with regard to the same.

4. Personal Protective Equipments (PPE)

You are requested to use personal protective equipment such as

- 1. Safety Helmet
- 2. Safety belts
- 3. Welder's Personal Protective equipment like goggles, gloves, shoes and face shield

As a measure to contain the spread of COVID-19, the following PPEs are essentially required to be provide to your workers:

- 1. Face Mask
- 2. Face Shield
- 3. Gloves

Also all your workers are to be subjected to temperature screening at Security, hand wash at the entrance, maintain physical distancing as far as possible.

You shall strictly instruct your workers not to spit in the public places and area of work.

It is the basic responsibility of the Contractor to provide all the safety gadgets (PPEs) as mentioned above to all their Supervisors/Workers.

And without these PPEs Contractor will not be allowed to carryout any job, which may please be noted.

5. <u>Labour Laws & Provident Fund</u>

You are requested to possess:

- 1. A License from the Labour Dept. under Contract Labour (Regulation and Abolition) Act 1970.
- 2. A separate PF Code under the Employee PF Act 1952 and also furnish details of CPF Contribution payment made with the Regional PF Commissioner.

6. <u>Guidelines to Contractors/Suppliers for Environmental Protection</u>

- Contractors/suppliers shall ensure that impact due to the environmental aspects of goods and services is minimum.
- Effluent generated during the activity is to be routed to effluent treatment plant as per the instructions given by the Engineer-in-Charge.
- Hazardous waste generated during the activity is to be disposed in accordance with Hazardous Waste (Management & Handling) Rules as per the instructions given by the Engineer-in-Charge.
- All other solid wastes are to be disposed as per the instructions given by the Engineer-in-Charge.
- Avoid leaks and spills to minimise the impact on environment. In the case of any leaks/spills immediately inform Engineer-in-Charge to take appropriate corrective action.
- If the item handled falls under hazardous category, please ensure that:
 - a. Product literature including MSDS/TREM Card etc. accompany the consignment.
 - b. Packing and labeling are in accordance with the requirement of Manufacture, Storage & Import of Hazardous Chemicals Rules.
- 7. HOCL Company premises is declared as "PLASTIC FREE ZONE". Hence, plastic carry bags or any plastic item having thickness less than 75 microns should not be used/brought inside the Company. Violation of the same by the contractor or his employees will be an offence as per Company Rule.

8. <u>B. Confined Space Entry</u>

If entry into a confined space (like inside entry to columns, heat exchanger shells, vessels, filters, spheres, bullets, boilers etc.) is a part of the work, contractor should register the name and other details in the register kept for the purpose each time. All safety regulation has to be adhered and permit to be obtained before entering into a confined space. Also after coming out from the confined space, the worker/supervisor has to report to the Engineer-in-Charge each time without fail. Any deviation in this register will not be permitted in any case.

ANNEXURE - B

LABOUR LAWS – CHECK LIST

1. Contract Labour (Regulation & Abolition) Act – 1970

Contractor should possess Labor License if he engages more than 19 workers at a time for a particular job.

2. ESI Act 1948

A worker whose wages (excluding Overtime Wage) does not exceed `15,000/- per month will be covered under the Act. Please note that workers can be allowed to work inside the Factory Premises / Township only after completing the following procedures:

- a. Those labourers already registered under ESI should submit their ESI card along with a copy.
- b. For new cases, the following documents are to be produced for registering under the Act:
 - 1. Registration form duly filled in by the worker concerned.
 - 2. Proof of identity Address and Age (SSLC / Birth Certificate / Driving License / Passport, etc.)
 - 3. Family photograph 2 Nos.
- c. For those workers whose wages is claimed to be more than `15,000/- per month should produce the following documents:
 - 1. An undertaking from his employer that his wage is more than `15,000/- per month and he is not required to be covered under ESI Act is to be submitted.
 - 2. A copy of the Personal Accident Policy showing that the worker is covered under the policy.

3. The EPF & MP Act – 1952

- a. The concerned worker has to file nomination form
- b. If already covered under the Act and Scheme, the related document to be submitted.

4. Interstate Migrant Workmen (Regulation of Employment and Conditions of Service) Act 1979

The contractor should possess License under this Act, if he engages 05 or more interstate migrant workmen on any day.

ANNEXURE - C

SAFETY, HEALTH & ENVIRONMENT (SHE) CONDITIONS

The following Safety, Health and Environment conditions shall apply to the Contractor those who are working at HOCL, Ambalamugal.

- Shall ensure the availability and suitability of qualified and experienced personnel at the site for effective and efficient SHE management.
- Shall ensure that the equipment, materials, consumables are in conformity with the requirements.
- Shall ensure that all equipments/scaffolding used are having adequate stability.
- Shall ensure that appropriate and adequate PPEs are provided and worn by the personnel involved.
- Shall ensure that safety signs are posted as appropriate to the activity/hazard as required.
- Shall ensure the removal of material from site, which do not conform to the requirements.
- Shall ensure no adverse impact on environment due to activities.
- Shall maintain proper close supervision over their employee's activities.
- Shall identify the hazards related to their nature of work being executed and develop methods to eliminate/control those hazards where required to prevent any unwanted incidents/accident.
- Shall educate/train the workers throughout the work and improve their SHE awareness.
- Shall ensure adequate hygiene, (i.e. cleanliness, environment free from dust and fume, proper lighting and drinking water to all worker employed by the contractor).
- Shall ensure regular controls are in place for the following by doing regular checks/inspections but not limited to the following:
 - Vehicles & equipments
 - Tools, equipments, lifting appliances
 - Safety equipments
 - Fire protection
- Shall at his own expenses from time to time and whenever required clear away and remove all rubbish/scrap/unwanted materials from its work area to designated area.
- Shall report all incidents/accidents occurring if any connected with the job. The Contractor shall prepare and submit an incident/accident report to OWNER's Safety Department.

ANNEXURE - D

PROFORMA OF DECLARATION OF BLACK LISTING/HOLIDAY LISTING

In the case of a Proprietary Concern:

I hereby declare that neither I in my persor	nal name or in the name of my Proprietary concern M/s. which is submitting neither the
	ern in which I am proprietor nor any partnership firm in which I am ced on black list or holiday list declared by any Government Publicative ministries, except as indicated below:
(Here give particulars of blacklisting or holiday l	sting, and in absence there of state "NIL")
In the case of a Partnership Firm:	
nor any partner involved in the management managing partner of any firm or concern have	, submitting the accompanying Bid/Tender of the said firm either in his individual capacity or as proprietor or we or has been placed on blacklist or holiday list declared by any ony of the administrative ministries, except as indicated below:
(Here give particulars of blacklisting or holiday li	sting, and in absence there of state "NIL")
In the case of Company:	
We hereby declare that we have not been place Sector Company (CPSU) or any of the administra	ed on any holiday list or black list declared by any Government Pubicative ministries, except as indicated below:
(Here give particulars of blacklisting or holiday li	sting, and in absence there of state "NIL")
	to be false in any particular, Hindustan Organic Chemicals Limited or to reject my/our bid, and if the bid has resulted in a contract, the
PLACE:	
DATE:	SIGNATURE OF THE BIDDER

ANNEXURE - E

ANNIEVLIDE TO DID	AGAINST TENDER No.	

(KINDLY FILL THIS SHEET AND SUBMIT IN -COMMERCIAL/TECHNICAL BID)

Name	of Bidder:	·
Sr. No.	Commercial Clauses	Bidder Confirmation (Please put v in front of your confirmation)
1	Whether bidder (a proprietary concern, Partnership Firm, Company) is currently on holiday list/black list/de-listed or has been put on holiday/blacklisted/de-listed at any PSU/govt. Organization. If so, give details.	☐ Yes, We are on holiday List/Black List/De-List ☐ No
2 i	Whether the party is registered under Micro/Small/Medium Enterprises act 2006 (Please furnish the proof)	□ Micro □ Medium □ Small □ No
ii	Status of MSE Bidder	□ Manufacturer□ Services□ Not Applicable
iii	Whether MSE bidder is offering product manufactured by him/her	□ Yes □ No
3 i	All MSE bidders shall register / declare their UAM Number on CPP Portal and copy of this registration / declaration shall be attached with the offer; failing which such bidders will not be able to enjoy benefits as per PP Policy for MSME order, 2012. SSI/MSME/NSIC/UAM /DIC registration certificate	□ Mention UAM Number □ Not Applicable
ii	Submitted valid document against clause no 3 (i)	□ Submitted□ Not Applicable
4 i	Whether the proprietor of "MSME" enterprise is from SC/ST category (Please attach caste certificate issued by competent authority)	□ Yes □ No
ii	Whether the proprietor of "MSME" enterprise is woman (i.e. Woman proprietorship, or holding minimum 51% shares in case of Partnership/Private Limited Companies)	□ Yes □ No
iii	Submitted certificate against clause no 4 (ii)	□ Submitted□ Not Applicable
5	AGREED TO ALL TERMS AND CONDITIONS OF ENQUIRY: It is hereby stated that the quotation/offer submitted is in fullcompliance with the documents issued against the enquiry and also furtherconfirmed that there is no deviation from all the terms and conditions as perthe enquiry.Non-acceptanceor deviation to HOCL's standard terms and conditions mentioned in enquiry documents may lead to rejection of offer, no correspondence shall be done for clarifications	□ Agreed □ Not Agreed
DATE:		N AND STAMP OF BIDDER

ANNEXURE (F)

(For Purchase Order/ Work Order with estimated value more than FIVE Lakhs)

ANNEXURE TO BE SUBMITTED ALONG WITH THE BID AGAINST TENDER NO______

(KINDLY FILL AND SUBMIT ALONG WITH OMMERCIAL/TECHNICAL BID)

Name of the Bidder:			
Sr No.	Commercial Clauses	Bidder Confirmation(Please put V)	
1	Please mention whether you are a Class-I/Class II Local	Class I	
	supplier.(Please see the definition given below)	Class II	
2			
	Specify the percentage (%) of local content.	%	
3	Details of location at which the local value addition is made		
4	Mention whether the product offered is manufactured in India under a license from a foreign who hold intellectual property rights and there is a technology collaboration agreement / Transfer of technology agreement.	Yes / No	

SELF DECLARATION OF LOCAL CONTENT

We hereby declare that the percentage (%) of local content specified against mentioned against Sr.No.2 is_____%.

We also understand that submitting False self-declarations and auditors will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a Bidder or its successors can be debarred for up to Two Years as per the Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under Law.

DATE: SGNATURE AND STAMP

Definitions

Local Content: - The amount of value added in India(Total value of item procured minus the value of imported content in the item(including all customs duties) as a proportion of total value, in percentage.

Class I Local Supplier: - Supplier or service provider whose goods AND services or works offered for procurement has local content equal to or more than 50%.

Class II Local Supplier: - Supplier or service provider whose goods AND services or works offered for procurement has local content more than 20% but less than 50%.

Purchase Preference: -Will be as per the applicable Government order.

DATE: SIGNATURE AND STAMP

ANNEXURE – H

BID SECURITY DECLARATION

ANNEX	URE	то	BE	SUBMITTED	ALONG	WITH	THE	BID	AGAINST	TENDER
No										
I/We	•••••		•••••					her	eby declare	that:
1.		not re		the tender with	in the stip	ulated pe	eriod/ va	alidity p	eriod OR ind	crease the
2.	l will	comm	ence th	ne work on intim	nating to sta	art the wo	rk/ on re	eceipt of	Letter of Inc	dent.
3.				or amend the to		npair or de	erogate	from the	e tender in a	ny respect
4.	I will t	furnish	the re	quired performa	ance securit	y within t	he speci	fied per	iod.	
NAME :	AND A	IDDRES	SS OF T	HE BIDDER						
PLACE: DATE:						SIGN	IATURE :	AND ST	AMP OF THE	BIDDER

Quality Assurance Plan

Equipment Type : Heat Exchanger Shell Equipment Name : Rerun Column Reboiler

: ASME Sec. VIII DIV I

Inspection by III rd Party/ HOCL

Design & Fabrication Code

Activity	Inspection Activity &	Characteristics / Type of	Quantum of			Scope of Inspection				
SI. No.	Component	Check	Check	Ref. Doc.	Acceptance Standards	Format of Report	Party	TPI	HOCL	Remarks
1	MATERIALS INSPECTION									
1.1			100%	PO/ASME SEC.IIA. IIB/SEC VIII DIV-1 / Approved Drawings / Manufacturer's test certificates Approved TPS / Spec.	PO/ASME SEC.IIA. IIB/SEC VIII DIV-1 / Approved Drawings / Manufacturer's test certificates Approved TPS / Spec.	Material test certificate, NDT Reports, Dimensional Reports, Insp. Report	н	W		
1.2	(forgings, fittings) inspection at Party's	Chemical and physical properties	100%	ASME SEC.IIA / VIII Div.I / PO / Spec / Drawings	ASME SEC.IIA / VIII Div.I / PO / Spec / Drawings	Inspection report	W	R		
1.3	Fasteners and gaskets inspectin at Party's	Inconcrtice	100%	ASME SEC.IIA / VIII Div.I / PO / Spec / Drawings	ASME SEC.IIA / VIII Div.I / PO / Spec / Drawings	Inspection report	W	R		

H – Hold (Mandatory Inspection) - Work not to proceed without this

R – Review (Verification of Document)

W – Witness (Witness Point) (To be completed within agreed period after which the work may progress)

Activity	Inspection Activity &	Characteristics / Type of	Quantum of			Sco	e of Insp	ection		Remarks	
SI. No.	Component	Check	Check	Ref. Doc.	Acceptance Standards	Format of Report	Party	TPI	HOCL	Remarks	
1.4		Chemical and physical properties Review of test certificates Check test report Visual and dimensional check	100%	ASME SEC.IIA / IIB / VIII Div.I / PO / Spec / Drawings	ASME SEC.IIA / IIB / VIII Div.I / PO / Spec / Drawings	Inspection report	W	R			
2	INSPECTION OF FORMED	COMPONENTS		•		<u> </u>		I.	l.		
		Visual and dimensional inspection, thickness check and Profile, ovality check	100%	Drawings / Spec.	Drawings / ASME Section VIII Div-I.	Inspection report	W	R			
	Dished ends	RT of weld seam	100%	Drawings / ASME Section VIII Div- I./ Spec.	Drawings / ASME Section VIII Div-I./ Spec.	RT Report	W	R			
2.1		DP	On Knuckle portion and edge after forming (inside and outside)	Drawings / ASME Section VIII Div- I./ Spec.	Drawings / ASME Section VIII Div-I./ Spec.	Inspection report	W	R			
		HT chart review	100%	ASME Section VIII Div-I./ Spec.	ASME Section VIII Div- I./ Spec.	Inspection Report	W	R			
3	WELDING BOOK			T				T	ı		
3.1	Weld map	Welding procedure	100%	ASME Sec IX / Spec.	ASME Sec IX / Spec.	WPS	W	R			
3.2	WPS/PQR/PQ	Welding parameters	100%	ASME Sec IX / Spec.	ASME Sec IX / Spec.	WPS / PQR	W	R			
3.3	Welding consumable	TC verification, chemical, mechanical properties	100%	ASME Sec II C	ASME Sec II C	Batch Certificate & test certificate	W	R			

H – Hold (Mandatory Inspection) - Work not to proceed without this

R – Review (Verification of Document)

W – Witness (Witness Point) (To be completed within agreed period after which the work may progress)

Quality Assurance Plan (QAP)

Activity	Inspection Activity &	Characteristics / Type of	Quantum of			Sco	pe of Insp	ection			
Sl. No.	Component	Check	Ref. Doc. Acceptance Standards	Format of Report	Party	TPI	HOCL	Remarks			
4	4 INSPECTION DURING FABRICATION										
4.1 a	Weld edge preparation and set up of major pressure parts	Visual and dimensional inspection, marking, WEP, Offset, Ovality, etc.	100%	ASME Sec VIII / Div . 1 / Spec. / drawings	/ Spec. / drawings	Inspection report	W	R	-		
		Sound metal after backchipping	100%			Inspection report	W	R			
4.2	Assembly of nozzles	WEP, Dimensions, completeness of assembly	100%	ASME Sec V / VIII - 1 / Spec. / drawings	ASME Sec V / VIII - 1 / Spec. / drawings	Inspection report	W	R	ı		
4.3	Inspection of completed welds	Visual inspection for reinforcement, undercuts, surface defects etc. Weld bead, surface defects etc. MPI & UT	100%	ASME Sec VIII - 1 / ASME Sec V/ drawings / spec.	ASME Sec VIII - 1 / ASME Sec V/ drawings / spec.	Inspection report	W	R	1		
4.4		Soundness of full weld (Radiography as oer code / Drg. + all 'T' Joint)	As per drawing	Drawings / Spec./ ASME Sec VIII - 1 / V	Drawings / Spec./ ASME Sec VIII - 1 / V	NDT Report Review of RT films	W	Film review			

Page 3

H – Hold (Mandatory Inspection) - Work not to proceed without this

R – Review (Verification of Document)

W – Witness (Witness Point) (To be completed within agreed period after which the work may progress)

Activity Sl. No.	Inspection Activity &	Characteristics / Type of	Quantum of			Sco	e of Insp	ection		
	Component	Check	Check	Ref. Doc.	Acceptance Standards	Format of Report	Party	TPI	HOCL	Remarks
4.5	Visual and dimensional insp. Shell Assl. (internals and externals)	Dimensions, completeness of assembly	100%	Spec./ Drawings / ASME Sec VIII-1 / V	Spec./ Drawings / ASME Sec VIII-1 / V	Inspection Report	W	W		
5	TESTING			l				I		
5.1	Soap Solution test of RF PADS at test pressure as per approved drawing	Leak checking	100%	Spec./ Drawings / ASME Sec VIII- Div.I	Spec./ Drawings / ASME Sec VIII-Div.I	Inspection report	W	R		
	Hydrostatic test asper approved drawing (shell side)	Leak check shell side / side	100%	Spec./ Drawings / ASME Sec VIII- Div.I Approved Procedure	Spec./ Drawings / ASME Sec VIII-Div.I Approved Procedure	Inspection report	W	w	w	
6	FINAL INSPECTION									
6.1	Surface preparation / cleaning	Visual inspection for workmanship	100%	drawings / Specification / Approved Procedure	drawings / Specification / Approved Procedure	Inspection report	W	R		
6.2	Painting	Visual inspection and DFT measurement	100%	drawings / Specification	drawings / Specification	Inspection report	W	R		
6.3	Spare item verification	Mandatory spare varified as per drawing	100%	drawings / Specification	drawings / Specification	Inspection report	W	R		
6.4	Final stamping of equipment and marking etc.	Verifying stamping details	Name plate and rub off stamping	drawings / Specification	drawings / Specification	Name plate/ rub off	W	W		
65	Final inspection (pre despatch)	Hard stamping, verification of packing list	100%	drawings / Specification	drawings / Specification	Inspection report	W	W		
6.6	Final inspection (TPI release note)	Issuance of IRN	100%	drawings / Specification	drawings / Specification	IRN	Н	Н		

H – Hold (Mandatory Inspection) - Work not to proceed without this

R – Review (Verification of Document)

W – Witness (Witness Point) (To be completed within agreed period after which the work may progress)

Quality Assurance Plan (QAP)

Activity Sl. No.	Inspection Activity &	Characteristics / Type of	Quantum of			Sco	pe of Insp	ection		Remarks
	Component	Check	Check	Ref. Doc.	Acceptance Standards	Format of Report	Party	TPI	HOCL	Remarks
6.7	Documentation	Verification, compilation and indexing of: As built drawings, TPI / Inspection Release note, Material test certificate, NDE reports, Hydrostatic test report, Pneumatic test report, Final dimensioin report, WPS / PQR recoprds and WPQR, Rub off, NDE, Hydro and Pneumatic procedure, Certificate of completeness	100%	Drawings / Specification / (VDR)	Specification		W	R		

Page 5

 $[\]mbox{\bf H}-\mbox{\bf Hold}$ (Mandatory Inspection) - Work not to proceed without this

R – Review (Verification of Document)

W – Witness (Witness Point) (To be completed within agreed period after which the work may progress)

